

SEQUENCE LISTING

Valkirs, Gunars E.

1

Buechler, Joe

Biosite Diagnostics

<120> Diagnostic Assays for Detection of Cryptosporidium parvum

<130> 014907-001900US

<140> 09/158,180

<141> 1998-09-21

<160> 19

<170> PatentIn Ver. 2.0

<210> 1

<211> 1446

<212> DNA

<213> Cryptosporidium parvum

<220>

<221> CDS

<222> (1)..(1446)

<223> C. parvum protein disulfide isomerase (PDI) cDNA of Applicants

<400	> 1															
atg	atc	gga	att	aga	agc	ttg	gtt	tca	gca	gca	ttt	tta	ggt	ttt	tct	48
Met	Ile	Gly	Ile	Arg	Ser	Leu	Val	Ser	Ala	Ala	Phe	Leu	Gly	Phe	Ser	
1				5					10					15		
tgt	ctc	tcc	aag	gta	gtc	ttg	ggt	gga	gat	gaa	gct	cac	ttc	att	tca	96
Cys	Leu	Ser	Lys	Val	Val	Leu	Gly	Gly	Asp	Glu	Ala	His	Phe	Ile	Ser	
			20					25					30			
gaa	cac	att	act	tcc	tta	act	tcc	tcc	aac	ttc	gaa	gac	ttc	att	aag	144
Glu	His	Ile	Thr	Ser	Leu	Thr	Ser	Ser	Asn	Phe	Glu	Asp	Phe	Ile	Lys	
	35						40			45						
agc	aag	gaa	cac	gta	att	gtt	act	ttc	ttt	gcc	cca	tgg	tgc	ggc	cat	192
Ser	Lys	Glu	His	Val	Ile	Val	Thr	Phe	Phe	Ala	Pro	Trp	Cys	Gly	His	
	50			,		55					60					
tgt	act	gct	tta	gag	сса	gaa	ttc	aag	gca	aca	tgc	gct	gaa	atc	tca	240
Cys	Thr	Ala	Leu	Glu	Pro	Glu	Phe	Lys	Ala	Thr	Cys	Ala	Glu	Ile	Ser	
65					70					75					80	
aag	ctc	tct	ccc	cca	gta	cac	tgt	ggc	agt	gtt	gat	gca	act	gaa	aat	288
Lys	Leu	Ser	Pro	Pro	Val	His	Cys	Gly	Ser	Val	Asp	Ala	Thr	Glu	Ásn	
				05					9.0					95		

atg gag ctt gca caa caa tat ggt gtg agc gga tac cca acc atc aaa 336 Met Glu Leu Ala Gln Gln Tyr Gly Val Ser Gly Tyr Pro Thr Ile Lys 100 ' 105 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110 ' 110

ttc	ttc	agt	ggt	att	gac	agt	gtt	cag	aac	tat	tca	gga	gca	aga	agc	384
Phe	Phe	Ser	Gly	Ile	Asp	Ser	Val	Gln	Asn	Tyr	Ser	Gly	Ala	Arg	Ser	
		115					120					125			٠.	
aag	gat	gca	ttc	atc	aag	tat	att	aag	aag	ttg	acc	gga	cca	gca	gtc	432
Lys	Asp	Ala	Phe	Ile	Lys	Tyr	Ile	Lys	Lys	Leu	Thr	Gly	Pro	Ala	Val	
	130					135					140					
caa	gtt	gct	gaa	tca	gaa	gaa	gct	atc	aag	aca	atc	ttc	gct	tct	tct	480
Gln	Val	Ala	Glu	Ser	Glu	Glu	Ala	Ile	Lys	Thr	Ile	Phe	Ala	Ser	Ser	
145			·		150					155					160	
													٠			
tct	tca	gcc	ttt	gtt	gga	aga	ttc	acc	tct	aag	gac	tca	gct	gag	tat	528
Ser	Ser	Ala	Phe	Val	Gly	Arg	Phe	Thr	Ser	Lys	Asp	Ser	Ala	Glu	Tyr	
				165					170					175		
																•
gct	gtc	ttc	gag	aag	gtt	gct	agt	ggt	cac	cgc	gag	cac	aac	tat	gct	576
Ala	Val	Phe	Glu	Lys	Val	Ala	Ser	Gly	His	Arg	Glu	His	Asn	Tyr	Ala	
			180					185					190			
				•												
ttc	att	gct	ttc	ttc	caa	gaa	ggt	gaa	caa	aag	ctc	gag	gta	tta	cac	624
Phe	Ile	Ala	Phe	Phe	Gln	Glu	Gly	Glu	Gln	Lys	Leu	Glu	Val	Leu	His	
		195					200					205				
aag	gac	gag	gag	cca	gtt	tct	ctc	cca	atg	cca	aag	act	gtt	gaa	gag	672
Lys	Asp	Glu	Glu	Pro	Val	Ser	Leu	Pro	Met	Pro	Lys	Thr	Val	Glu	Glu	
	210					215					220	*				
tta	gag	gcc	aag	ata	tcc	ata	atg	aat	gta	cca	ttg	ttc	tct	gca	att	720
_		_			Ser									•		
225			-		230					235					240	

agt	gct	gag	aac	tac	tcc	ctc	tat	atg	tca	aga	gaa	ggt	tat	act	gcc	768
Ser	Ala	Glu	Asn	Tyr	Ser	Leu	Tyr	Met	Ser	Arg	Glu	Gly	Tyr	Thr	Ala	
				245					250					255		
tgg	ttc	tgt	ggt	act	aac	gag	gac	ttc	gcc	aag	tat	gct	tca	aac	att	816
Trp	Phe	Cys	Gly	Thr	Asn	Glu	Asp	Phe	Ala	Lys	Tyr	Ala	Ser	Asn	Ile	
			260					265					270			
										•						
aga	aag	gtt	gca	gct	gat	tac	aga	gaa	aag	tat	gcc	ttt	gtt	ttc	ctt	864
Arg	Lys	Val	Ala	Ala	Asp	Tyr	Arg	Glu	Lys	Tyr	Ala	Phe	Val	Phe	Leu	
		275					280					285				
											•					
gat	act	gag	caa	ttt	ggt	tcc	cat	gct	act	caa	cat	ctc	tta	att	gag	912
Asp	Thr	Glu	Gln	Phe	Gly	Ser	His	Ala	Thr	Gln	His	Leu	Leu	Ile	Glu	
	290					295					300					
aaa	ttc	cca	ggt	ttg	gtt	atc	caa	agt	gtc	aat	gtt	cca	tca	att	aga ʻ	960
Lys	Phe	Pro	Gly	Leu	Val	Ile	Gln	Ser	Val	Asn	Val	Pro	Ser	Ile	Arg	•
305			٠		310					315					320	
																•
tac	atg	tat	ggt	cca	gct	aaa	ttc	gac	tct	gtt	gag	сса	tta	aag	gaa	1008
Tyr	Met	Tyr	Gly	Pro	Ala	Lys	Phe	Asp	Ser	Val	Glu	Pro	Leu	Lys	Glu	
				325					330					335		
ttt	atg	aag	caa	gtt	tct	gaa	ggc	aag	cac	gaa	ctc	agc	att	aag	tct	1056
Phe	Met	Lys	Gln	Val	Ser	Glu	Gly	Lys	His	Glu	Leu	Ser	Ile	Lys	Ser	
			340					345					350			
gag	cca	atc	cca	gct	gag	caa	tct	ggt	cca	gtc	act	gtt	gtt	gtt	ggt	1104
Glu	Pro	Ile	Pro	Ala	Glu	Gln	Ser	Gly	Pro	Val	Thr	Val	Val	Val	Gly	
		355					360					365				

aag	acc	ttc	gaa	gaa	att	gtt	ttc	aga	agt	gac	aag	gat	gtt	ctt	ttg	1152
Lys	Thr	Phe	Glu	Glu	Ile	Val	Phe	Arg	Ser	Asp	Lys	Asp	Val	Leu	Leu	
	370					375					380					
															•	
gaa	atc	tat	gcc	caa	tgg	tgt	gga	cac	tgt	aag	aac	ctc	gag	cca	atc	1200
Glu	Ile	Tyr	Ala	Gln	Trp	Cys	Gly	His	Cys	Lys	Asn	Leu	Glu	Pro	Ile	
385					390					395					400	•
tac	aac	caa	ctc	ggc	gaa	gag	tac	aag	gac	aac	gac	aag	gtt	gtg	att	1248
Tyr	Asn	Gln	Leu	Gly	Glu	Glu	Tyr	Lys	Asp	Asn	Asp	Lys	Val	Val	Ile	
				405					410					415		
gca	aag	atc	aat	gga	cca	caa	aac	gat	atc	cca	tat	gaa	ggt	ttc	agt	1296
Ala	Lys	Ile	Asn	Gly	Pro	Gln	Asn	Asp	Ile	Pro	Tyr	Glu	Gly	Phe	Ser	
			420					425					430			
																*
cca	aga	gcc	tţc	сса	act	atc	ttg	ttc	gtc	aag	gcc	gga	act	aga	acc	1344
Pro	Arg	Ala	Phe	Pro	Thr	Ile	Leu	Phe	Val	Lys	Ala	Gly	Thr	Arg	Thr	
		435					440					445				
	att					•										1392
Pro	Ile	Pro	Tyr	Asp	Gly	Lys	Arg	Thr	Val	Glu		Phe	Lys	Glu	Phe	
	450				-	455					460					
atc	agt	gaa	cat	tct	tcc	ttc	cct	caa	gaa	aag	gaa	tct	cgt	gac	gaa	1440
Ile	Ser	Glu	His	Ser	Ser	Phe	Pro	Gln	Glu		Glu	Ser	Arg	Asp	Glu	
465					470					475					480	
		٠														
ctc	taa														-	1446

Leu

<210> 2															
<211> 481															
<212> PRT															
<213> Cryptosporidium parvum															
<400)> 2														
Met	Ile	Gly	Ile	Arg	Ser	Leu	Val	Ser	Ala	Ala	Phe	Leu	Gly	Phe	Ser
1				5					10					15	
Cys	Leu	Ser	Lys	Val	Val	Leu	Gly	Gly	Asp	Glu	Ala	His	Phe	Ile	Ser
			20					25					30		
Glu	His	Ile	Thr	Ser	Leu	Thr	Ser	Ser	Asn	Phe	Glu	Asp	Phe	Ile	Lys
		35					40					45			
Ser	Lys	Glu	His	Val	Ile	Val	Thr	Phe	Phe	Ala	Pro	Trp	Суз	Gly	His
	50					55					. 60				
Cys	Thr	Ala	Leu	Glu	Pro	Glu	Phe	Lys	Ala	Thr	Cys	Ala	Glu	Ile	Ser
65					70					75					80
 Lys	Leu	Ser	Pro	Pro	Val	His	Cys	Gly	Ser	Val	Asp	Ala	Thr	Glu	Asn
				85					90					95	
Met	Glu	Leu	Ala	Gln	Gln	Tyr	Gly	Val	Ser	Gly	Tyr	Pro	Thr	Ile	Lys
			100					105					110		
Phe	Phe	Ser	Gly	Ile	Asp	Ser	Val	Gln	Asn	Tyr	Ser	Gly	Ala	Arg	Ser
		115					120					125			

Lys Asp Ala Phe Ile Lys Tyr Ile Lys Lys Leu Thr Gly Pro Ala Val

Gln Val Ala Glu Ser Glu Glu Ala Ile Lys Thr Ile Phe Ala Ser Ser 145 150 155 160

Ser Ser Ala Phe Val Gly Arg Phe Thr Ser Lys Asp Ser Ala Glu Tyr

165 170 175

Ala Val Phe Glu Lys Val Ala Ser Gly His Arg Glu His Asn Tyr Ala 180 185 190

Phe Ile Ala Phe Phe Gln Glu Gly Glu Gln Lys Leu Glu Val Leu His
195 200 205

Lys Asp Glu Glu Pro Val Ser Leu Pro Met Pro Lys Thr Val Glu Glu
210 215 220

Leu Glu Ala Lys Ile Ser Ile Met Asn Val Pro Leu Phe Ser Ala Ile
225 230 235 240

Ser Ala Glu Asn Tyr Ser Leu Tyr Met Ser Arg Glu Gly Tyr Thr Ala
245 250 255

Trp Phe Cys Gly Thr Asn Glu Asp Phe Ala Lys Tyr Ala Ser Asn Ile
260 265 270

Arg Lys Val Ala Ala Asp Tyr Arg Glu Lys Tyr Ala Phe Val Phe Leu 275 280 285

Asp Thr Glu Gln Phe Gly Ser His Ala Thr Gln His Leu Leu Ile Glu
290 295 300

Lys Phe Pro Gly Leu Val Ile Gln Ser Val Asn Val Pro Ser Ile Arg
305 310 315 320

Tyr Met Tyr Gly Pro Ala Lys Phe Asp Ser Val Glu Pro Leu Lys Glu
325 330 335

Phe Met Lys Gln Val Ser Glu Gly Lys His Glu Leu Ser Ile Lys Ser

340 345 350

Glu Pro Ile Pro Ala Glu Gln Ser Gly Pro Val Thr Val Val Val Gly
355 360 365

Lys Thr Phe Glu Glu Ile Val Phe Arg Ser Asp Lys Asp Val Leu Leu 370 375 380

Glu Ile Tyr Ala Gln Trp Cys Gly His Cys Lys Asn Leu Glu Pro Ile 385 390 395 400

Tyr Asn Gln Leu Gly Glu Glu Tyr Lys Asp Asn Asp Lys Val Val Ile
405 410 415

Ala Lys Ile Asn Gly Pro Gln Asn Asp Ile Pro Tyr Glu Gly Phe Ser
420 425 430

Pro Arg Ala Phe Pro Thr Ile Leu Phe Val Lys Ala Gly Thr Arg Thr
435 440 445

Pro Ile Pro Tyr Asp Gly Lys Arg Thr Val Glu Ala Phe Lys Glu Phe 455 460 450

Ile Ser Glu His Ser Ser Phe Pro Gln Glu Lys Glu Ser Arg Asp Glu 470 475 480 465

Leu

<210> 3

<211> 32

<212> PRT

<213> Cryptosporidium parvum

<220>

<221> PEPTIDE

<222> (1)..(32)

<223> 32 amino acid region for C. parvum protein disulfide isomerase (PDI) of Applicants differing from Blunt et al. (1996) Gene 181:221-223; GenBank Accession No. U48261

<400> 3

Ala Trp Phe Cys Gly Thr Asn Glu Asp Phe Ala Lys Tyr Ala Ser Asn 10 15

Ile Arg Lys Val Ala Ala Asp Tyr Arg Glu Lys Tyr Ala Phe Val Phe 20

25

<210> 4

<211> 41

<212> PRT

<213> Cryptosporidium parvum

<220>

<221> PEPTIDE

<222> (1)..(41)

<223> positions 250-290 of C. parvum protein disulfide isomerase (PDI) according to Blunt et al. (1996)

Gene 181:221-223; GenBank Accession No. U48261

<220>

<221> PEPTIDE

<222> (7)..(38)

<223> 32 amino acid region of C. parvum protein disulfide isomerase (PDI) of Blunt et al. that differs from that of Applicant PDI

<400> 4

Ser Arg Glu Gly Tyr Thr Pro Gly Ser Val Val Leu Thr Arg Thr Ser

10

Pro Ser Met Leu Gln Thr Leu Glu Arg Leu Gln Leu Ile Thr Glu Lys

20 25 30

40

Ser Met Pro Leu Phe Ser Leu Asp Thr

<210> 5

<211> 41

<212> PRT

<213> Cryptosporidium parvum

<220>

<221> PEPTIDE

<222> (1)..(41)

<223> positions 250-290 (numbering convention used by Blunt et al.) of C. parvum protein disulfide isomerase (PDI) of the Applicants

<220>

<221> PEPTIDE

<222> (7)..(38)

<223> 32 amino acid region of C. parvum protein disulfide isomerase (PDI) from Applicants that differs from Blunt et al. PDI

<400> 5

Ser Arg Glu Gly Tyr Thr Ala Trp Phe Cys Gly Thr Asn Glu Asp Phe

40

Ala Lys Tyr Ala Ser Asn Ile Arg Lys Val Ala Ala Asp Tyr Arg Glu 20 25 30

_____10

Lys Tyr Ala Phe Val Phe Leu Asp Thr

```
<210> 6
<211> 23
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer A
<400> 6
                                                                   23
gtaaaacgac ggccagtgaa ttg
<210> 7
<211> 54
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer B
<400> 7
acceptittt tiggatggag tgaaacgatg atcggaatte gtagettggt tica
<210> 8
<211> 89
<212> DNA
<213> Cryptosporidium parvum
```

<220>

<223> primer C

```
<400> 8
gtgataaact accgcattaa agcttatcga tgataagctg tcaattagtg atggtgatgg 60
                                                                   89
tgatggagtt cgtcacgaga ttccttttc
<210> 9
<211> 20
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer D
<400> 9
                                                                   20
tccaaggtag tcttgggtgg
<210> 10
<211> 20
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer E
<400> 10
                                                                    20
aagctctctc ccccagtaca
```

```
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer F
<400> 11
gcagtccaag ttgctgaatc
<210> 12
<211> 20
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer G
<400> 12
ctcgaggtat tacacaagga
<210> 13
<211> 20
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer H
```

<210> 11

<211> 20

<400> 13	·
ccaagtatgc ttcaaacatt	20
<210> 14	
<211> 20	•
<212> DNA	
<213> Cryptosporidium parvum	
<220>	
<223> primer I	
<400> 14	
ttcgactctg ttgagccatt	20
	•
<210> 15	
<211> 21	
<212> DNA	•
<213> Cryptosporidium parvum	
<220>	
<223> primer J	
ı	
<400> 15	
tatagacact ataagaacct c	21

```
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer K
<400> 16
gaggatgacg atgagcgc
<210> 17
<211> 21
<212> DNA
<213> Cryptosporidium parvum
<220>
<223> primer L
<400> 17
gcaactctct actgtttctc c
<210> 18
<211> 20
<212> DNA
<213> Cryptosporidium parvum
<220>
```

<223> primer M

<210> 16

<211> 18

<400> 18

tcgctgccca accagccatg

20

<210> 19

<211> 75

<212> DNA

<213> Cryptosporidium parvum

<220>

<223> primer N

<400> 19

gtgataaact accgcattaa agcttatcga tgataagctg tcaattagtg atggtgatgg 60

tgatgacaat ccctg